

POPULATION ESTIMATES

CENSUS DATA

LOCAL PUBLIC HEALTH

Total 1995 Population Est 13,420
Percent Female 50.4

Population per square mile 29
Rank in state 51
(1=highest population density,
72=lowest population density.)

| Age | Female | Male | Total |
|-------|--------|-------|--------|
| 0-14 | 1,240 | 1,280 | 2,520 |
| 15-19 | 470 | 470 | 937 |
| 20-24 | 320 | 330 | 650 |
| 25-29 | 280 | 320 | 600 |
| 30-34 | 440 | 420 | 860 |
| 35-39 | 500 | 540 | 1,040 |
| 40-44 | 490 | 480 | 970 |
| 45-54 | 740 | 740 | 1,480 |
| 55-64 | 860 | 760 | 1,620 |
| 65-74 | 780 | 810 | 1,590 |
| 75-84 | 480 | 410 | 890 |
| 85+ | 170 | 90 | 260 |
| Total | 6,770 | 6,650 | 13,420 |

| Age | Female | Male | Total |
|-------|--------|-------|--------|
| 0-17 | 1,540 | 1,570 | 3,110 |
| 18-44 | 2,200 | 2,270 | 4,470 |
| 45-64 | 1,600 | 1,500 | 3,100 |
| 65+ | 1,430 | 1,310 | 2,740 |
| Total | 6,770 | 6,650 | 13,420 |

EMPLOYMENT

Note: Average wage is based on place
of work, not place of residence.

Average wage for jobs covered
by Unemployment Compensation \$17,616

| Labor Force Estimates | Annual Average |
|-----------------------|----------------|
| Civilian labor force | 6,778 |
| Number employed | 6,286 |
| Number unemployed | 492 |
| Unemployment rate | 7.3% |

Note: Data in this section are from
the 1990 Census. (All other
sections contain 1995 data
except where specified.)

Ratio of 1989 Family
Income to Poverty
(Cumulative)

| Age | <100% | <185% | <200% | Total |
|-------|-------|-------|-------|-------|
| <5 | 19 | 44 | 50 | 713 |
| 5-17 | 15 | 40 | 46 | 2,234 |
| 18-44 | 10 | 28 | 33 | 3,995 |
| 45-64 | 9 | 23 | 27 | 2,796 |
| 65+ | 12 | 41 | 47 | 2,444 |

CANCER INCIDENCE
(1995)

| Primary site | Number |
|--------------|--------|
| Colon | 4 |
| Lung | 12 |
| Breast | 13 |
| Prostate | 7 |
| All others | 52 |
| Total | 88 |

LONG TERM CARE

| | |
|-------------------------|-----|
| Home Health Agencies | 2 |
| Patients | 201 |
| Patients per 10,000 pop | 150 |

| | |
|--|-------|
| Nursing Homes | 1 |
| Licensed beds | 64 |
| Occupancy rate (percent) | 88.1% |
| Residents on 12/31/95 | 64 |
| Residents per 1,000 population aged 65 or older | 22 |

Activities Reported Number Per
10,000

Public Health Nursing
Total clients 225 168
Total visits 1,603 1,195

Visits: Reason for
Gen hlth promotion 237 177
Infant/child hlth 85 63
Infectious & parasitic 1 1
Circulatory 251 187
Prenatal 48 36
Postpartum 45 34

WIC Participants 471 351

Clinic Visits 4,002 2,984
Immunization 1,803 1,344
Blood pressure 650 485

Environmental Contacts
Env hazards . .
Public health nuisance 9 7

School Health
Vision screenings 1,504 1,121
Hearing screenings 1,401 1,045

Health Education
Community sessions 6 4
Community attendance 93 69
School sessions 23 17
School attendance 444 331

Staffing - FTEs
Total staff 6 4.2
Administrators 1 0.7
Public health nurses 2 1.5
Public health aides 1 0.9
Environmental specialists . .

LOCAL PUBLIC HEALTH FUNDING

| | Amount | Per Capita |
|---------------|-----------|---------------|
| Total funding | \$210,586 | \$15.70 |
| Local taxes | \$147,605 | \$11.01 |

N A T A L I T Y

| | | | | | | | | |
|--|--------------|----------------|------------------------------------|-----------------------------------|---------|--------------------------|---------|------------------------------|
| TOTAL LIVE BIRTHS | | 121 | Birth Order | Births | Percent | Marital Status | | |
| Crude Live Birth Rate | 9.0 | | First | 54 | 45 | of Mother | Births | Percent |
| General Fertility Rate | 48.4 | | Second | 41 | 34 | Married | 95 | 79 |
| | | | Third | 14 | . | Not married | 26 | 21 |
| Live births with reported congenital anomalies | 2 | . % | Fourth or higher | 12 | . | Unknown | 0 | . |
| | | | Unknown | 0 | . | | | |
| Delivery Type | Births | Percent | First Prenatal Visit | Births | Percent | Education of Mother | Births | Percent |
| Vaginal after previous cesarean | 3 | . | 1st trimester | 91 | 75 | Elementary or less | 5 | . |
| Forceps | 3 | . | 2nd trimester | 25 | 21 | Some high school | 12 | . |
| Other vaginal | 82 | 68 | 3rd trimester | 5 | . | High school | 57 | 47 |
| Primary cesarean | 18 | . | No visits | 0 | . | Some college | 30 | 25 |
| Repeat cesarean | 15 | . | Unknown | 0 | . | College graduate | 17 | . |
| Other or unknown | 0 | . | | | | Unknown | 0 | . |
| Birth Weight | Births | Percent | Number of Prenatal Care visits | Births | Percent | Smoking Status of Mother | Births | Percent |
| <1, 500 gm | 1 | . | No visits | 0 | . | Smoker | 36 | 30 |
| 1, 500-2, 499 gm | 7 | . | 1- 4 visits | 3 | . | Nonsmoker | 85 | 70 |
| 2, 500+ gm | 113 | 93.4 | 5- 9 visits | 28 | 23 | Unknown | 0 | . |
| Unknown | 0 | . | 10-12 visits | 57 | 47 | | | |
| | | | 13 + visits | 33 | 27 | | | |
| | | | Unknown | 0 | . | | | |
| Race of Mother | Total Births | Fertility Rate | Low Birth Weight (under 2, 500 gm) | Trimester of First Prenatal Visit | | | | |
| | Births | Percent | Births Percent | 1st Trimester Births | Percent | 2nd Trimester Births | Percent | Other/Unknown Births Percent |
| White | 119 | 98 | 7 . | 89 | 75 | 25 | 21 | 5 . |
| Black | 0 | . | . . | . . | . | . . | . | . . |
| Other | 2 | . | . . | . . | . | . . | . | . . |
| Unknown | 0 | . | . . | . . | . | . . | . | . . |
| Age of Mother | Births | Fertility Rate | Low Birth Weight (under 2, 500 gm) | Trimester of First Prenatal Visit | | | | |
| | Births | Rate | Births Percent | 1st Trimester Births | Percent | 2nd Trimester Births | Percent | Other/Unknown Births Percent |
| <15 | 0 | -- | . . | . . | . | . . | . | . . |
| 15- 17 | 5 | . | 1 . | 4 . | . | 1 . | . | . . |
| 18- 19 | 4 | . | . . | 2 . | . | 1 . | . | . . |
| 20- 24 | 31 | 97 | 1 . | 22 | 71 | 7 . | 2 . | . . |
| 25- 29 | 39 | 139 | 1 . | 31 | 79 | 8 . | . . | . . |
| 30- 34 | 34 | 77 | 5 . | 25 | 74 | 8 . | . . | . . |
| 35- 39 | 7 | . | . . | 6 . | . | . . | . . | . . |
| 40+ | 1 | . | . . | 1 . | . | . . | . . | . . |
| Unknown | 0 | -- | . . | . . | . | . . | . . | . . |
| Teenage Births | 9 | . | | | | | | |

----- M O R B I D I T Y -----

----- M O R T A L I T Y -----

REPORTED CASES OF SELECTED DISEASES

| Disease | Number |
|-------------------------|--------|
| Campylobacter Enteritis | <5 |
| Giardiasis | <5 |
| Hepatitis Type A | <5 |
| Hepatitis Type B* | 0 |
| Hepatitis NANB/C** | 0 |
| Legionnaire's | 0 |
| Lyme | 0 |
| Measles | 0 |
| Meningitis, Aseptic | 0 |
| Meningitis, Bacterial | <5 |
| Mumps | 0 |
| Pertussis | 0 |
| Salmonellosis | 5 |
| Shigellosis | 0 |
| Tuberculosis | 0 |

* Includes HBV carriers

** Includes HCV screens

Sexually Transmitted Disease

| | |
|--------------------------|----|
| Chlamydia Trachomatis | 8 |
| Genital Herpes | 6 |
| Gonorrhea | <5 |
| Nongonococcal Cervicitis | 0 |
| Nongonococcal Urethritis | 0 |
| Syphilis | 0 |

----- I M M U N I Z A T I O N S -----

Children in Grades K-12 by
Compliance Level

| | |
|-------------------|-------|
| Compliant | 2,373 |
| Non-compliant | 24 |
| Percent Compliant | 99.0 |

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and post-neonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths.

| TOTAL DEATHS | | |
|------------------|--------|--------------|
| Crude Death Rate | | 141 1,051 |
| Age | Deaths | Rate |
| 1-4 | . | . |
| 5-14 | . | . |
| 15-19 | . | . |
| 20-34 | 3 | . |
| 35-54 | 6 | . |
| 55-64 | 16 | . |
| 65-74 | 33 | 2,080 |
| 75-84 | 45 | 4,979 |
| 85+ | 37 | 14,231 |

| Infant Mortality | Deaths | Rate |
|------------------|--------|------|
| Total Infant | 1 | . |
| Neonatal | 1 | . |
| Post-neonatal | . | . |
| Unknown | . | . |

| Race of Mother | | |
|----------------|---|---|
| White | 1 | . |
| Black | . | . |
| Other | . | . |
| Unknown | . | . |

| Birth Weight | | |
|----------------|---|---|
| <1,500 gm | . | . |
| 1,500-2,499 gm | 1 | . |
| 2,500+ gm | . | . |
| Unknown | . | . |

| Perinatal Mortality | Deaths | Rate |
|---------------------|--------|------|
| Total Perinatal | 1 | . |
| Neonatal | 1 | . |
| Fetal | . | . |

| Selected Underlying Cause | Deaths | Rate |
|---------------------------|--------|------|
| Heart Disease (total) | 43 | 320 |
| Coronary heart disease | 29 | 216 |
| Cancer (total) | 37 | 276 |
| Lung | 9 | . |
| Colorectal | 5 | . |
| Female breast | 3 | .* |
| Cerebrovascular Disease | 9 | . |
| Chron Obstr Pulmonary | 11 | . |
| Pneumonia & Influenza | 3 | . |
| Injuries | 7 | . |
| Motor vehicle | 3 | . |
| Diabetes | 9 | . |
| Infectious & Parasitic | 1 | . |
| Suicide | 1 | . |

* Rate for female breast cancer based
on female population.ALCOHOL AND DRUG ABUSE AS UNDERLYING
OR CONTRIBUTING CAUSE OF DEATH

| | | |
|----------------|---|---|
| Alcohol | 1 | . |
| Other Drugs | 1 | . |
| Both Mentioned | . | . |

----- M O T O R V E H I C L E C R A S H E S -----

Note: These data are based on location of crash, not on residence.

| Type of Motor Vehicle Crash | Persons Injured | Persons Killed |
|-----------------------------|-----------------|----------------|
| Total Crashes | 182 | 5 |
| Alcohol-Related | 26 | 4 |
| With Citation: | | |
| For OWI | 9 | 0 |
| For Speeding | 25 | 0 |
| Motorcyclist | 3 | 0 |
| Bicyclist | 2 | 0 |
| Pedestrian | 3 | 0 |

HOSPITALIZATIONS

| DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average Charge | Charge Per Capita |
|--|--------|---------------------|---------------------------|-------------------|-------------------------|
| Injury-Related: All | | | | | |
| Total | 150 | 11.2 | 4.6 | \$9,156 | \$102 |
| <18 | 16 | . | . | . | . |
| 18-44 | 44 | 9.8 | 4.0 | \$8,048 | \$79 |
| 45-64 | 25 | 8.1 | 6.5 | \$14,797 | \$119 |
| 65+ | 65 | 23.7 | 4.5 | \$8,334 | \$197 |
| Injury: Hip Fracture | | | | | |
| Total | 13 | . | . | . | . |
| 65+ | 13 | . | . | . | . |
| Injury: Poisonings | | | | | |
| Total | 14 | . | . | . | . |
| 18-44 | 7 | . | . | . | . |
| Psychiatric | | | | | |
| Total | 51 | 3.8 | 10.9 | \$6,162 | \$23 |
| <18 | 6 | . | . | . | . |
| 18-44 | 27 | 6.0 | 5.9 | \$4,019 | \$24 |
| 45-64 | 4 | . | . | . | . |
| 65+ | 14 | . | . | . | . |
| Coronary Heart Disease | | | | | |
| Total | 146 | 10.9 | 4.7 | \$13,415 | \$146 |
| 45-64 | 56 | 18.1 | 4.4 | \$13,797 | \$249 |
| 65+ | 88 | 32.0 | 4.8 | \$13,158 | \$422 |
| Malignant Neoplasms (Cancers): All | | | | | |
| Total | 68 | 5.1 | 6.3 | \$10,876 | \$55 |
| 18-44 | 4 | . | . | . | . |
| 45-64 | 15 | . | . | . | . |
| 65+ | 48 | 17.5 | 6.4 | \$10,721 | \$187 |
| Neoplasms: Female Breast (rates for female population) | | | | | |
| Total | 8 | . | . | . | . |
| Neoplasms: Colo-rectal | | | | | |
| Total | 6 | . | . | . | . |
| 65+ | 4 | . | . | . | . |
| Neoplasms: Lung | | | | | |
| Total | 11 | . | . | . | . |
| Diabetes | | | | | |
| Total | 22 | 1.6 | 7.0 | \$8,272 | \$14 |
| 65+ | 8 | . | . | . | . |

| DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average Charge | Charge Per Capita |
|---------------------------------------|--------|---------------------|---------------------------|-------------------|-------------------------|
| Alcohol-Related | | | | | |
| Total | 43 | 3.2 | 6.5 | \$3,723 | \$12 |
| 18-44 | 31 | 6.9 | 6.9 | \$3,942 | \$27 |
| 45-64 | 11 | . | . | . | . |
| Pneumonia and Influenza | | | | | |
| Total | 66 | 4.9 | 6.4 | \$8,009 | \$39 |
| <18 | 6 | . | . | . | . |
| 45-64 | 8 | . | . | . | . |
| 65+ | 45 | 16.4 | 6.5 | \$7,742 | \$127 |
| Cerebrovascular Disease | | | | | |
| Total | 54 | 4.0 | 4.5 | \$7,646 | \$31 |
| 45-64 | 8 | . | . | . | . |
| 65+ | 43 | 15.7 | 4.3 | \$7,034 | \$110 |
| Chronic Obstructive Pulmonary Disease | | | | | |
| Total | 37 | 2.8 | 4.7 | \$5,667 | \$16 |
| <18 | 3 | . | . | . | . |
| 18-44 | 4 | . | . | . | . |
| 45-64 | 3 | . | . | . | . |
| 65+ | 27 | 9.8 | 5.3 | \$6,075 | \$60 |
| Drug-Related | | | | | |
| Total | 7 | . | . | . | . |
| 18-44 | 5 | . | . | . | . |
| Total Hospitalizations | | | | | |
| Total | 1,863 | 138.9 | 4.7 | \$7,477 | \$1,039 |
| <18 | 230 | 74.2 | 3.9 | \$4,602 | \$341 |
| 18-44 | 455 | 101.8 | 3.6 | \$5,443 | \$554 |
| 45-64 | 373 | 120.4 | 4.9 | \$9,011 | \$1,085 |
| 65+ | 805 | 293.2 | 5.4 | \$8,736 | \$2,561 |

--- PREVENTABLE HOSPITALIZATIONS * ---

| | | | | | |
|-------|-----|------|-----|---------|-------|
| Total | 233 | 17.4 | 5.2 | \$6,270 | \$109 |
| <18 | 22 | 7.1 | 3.8 | \$4,299 | \$31 |
| 18-44 | 21 | 4.7 | 4.6 | \$6,075 | \$29 |
| 45-64 | 35 | 11.3 | 5.5 | \$6,793 | \$77 |
| 65+ | 155 | 56.4 | 5.5 | \$6,459 | \$365 |

* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization.